1/6

## DRD4




FIG. 1

	oeat nant		Nucleotide Sequence Protein Sequence														Origin		
α)	1	A CCC OC Pro Al	10 CCC ORS A		CTC Leu		CAG Gln	anc Asp	ccc Pro	30 TOC Cys	GGC GJy	ccc	GAC Asp	TGT Cys	oco Ala	48 CC Pro			
β)	2	c																	
<b>0</b> )	3	c c																	
ζ)	4	c																	
6)	5	c															(R 4/1)		
η)	б	¢ g		-															
y)	7	c															R 2/3		
K)	8	c		-													и 2		
v)	9	c															H 2 (or R 2/3)		
<b>σ</b> )	10	c															и 2		
ρ)	11	c															R 2/3 (or H 3)		
μ)	12	C G															из		
ψ)	13	Ala C D.,															(R 3/5)		
δ)	14	C C		•													и 3		
-, ι)	15																		
λ)	16	C G		_			_										<b>써</b> 5		
				_													M 4		
o) \	17 18	¢ .,, .															и 5		
n)		c															H 4		
<b>ξ</b> )	19 20	c		-													H 4 (or R 3/4)		
	21	C G		_													R 3/4		
	22	C G															, -		
	23	c															R 5/3		
	24			-													M 2 (or R 1/2)		
	25	C G															ы 6		
	26	А1.a С															м 2		
	27	c															R 4/1		
	28	·															H 4		
	29	GG															и з		
	30																R 1		
	31	C D		. A.						1	٠	•••				r	H3 (or R3/4)		
	32	C 0																	
	33	c															M 4 (or R 2/4)		
	34	t															H 9		
	35	c															н 4		
					-														

**FIG. 2** 

WO 2004/055038

3/6




FIG. 3

4/6




FIG. 4

5/6




FIG. 5




FIG. 6